


光谱分析测试



Color parameters:

Color coordinates: $x=0.0000$, $y=0.0000/u'=0.0000$, $v'=0.0000$;
 Color temperature: CCT=0K (Duv=0.0000);
 Peak wavelength: WP=1052.5nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=64.8nm;
 Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
 Color tolerance: SDCM=0.00;
 Color rendering index: Ra=0.0;
 R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
 R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10= 0.0
 R11= 0.0 , R12= 0.0 , R13= 0.0 , R14= 0.0 , R15= 0.0
 TM30:Rf=0.0, Rg=0.0
 CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi=0.000$ lm; Light efficiency:0.0 lm/W;
 Radiation flux $\Phi_e=65.1$ MW
 Optoelectronic efficiency WPE=16.75%
 UVA=0.000 mw, UVB=0.000 mw, UVC=0.000 mw
 Illuminance Lx=0.0000 LUX

Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
 Photosynthetic quantum flux PPF:0.0000 $\mu\text{mol/s}$
 Photosynthetically active radiation flux PAR:0.0000 MW
 Photosynthetic photon flux efficiency EFF:0.0000 $\mu\text{mol/s/w}$


Electrical parameters:

Forward voltage: VF=1.5570 V; Forward current: IF=249.7000 mA
 Power: P=0.3888 W; Power factor PF=1.00
 Instrument status:
 Integral time T=102.79 ms; Ip=43504(66.38%)

Product Model:213
 Tested by:01
 Temperature:25
 Manufacturer:kjhglkj;lkj
 Remarks:

Product Number:250930092450
 Test Date:2025-09-30 09:24:52
 Humidity:50%
 Organization:小号 小号 小号

光谱分析测试



Color parameters:

Color coordinates: $x=0.0000$, $y=0.0000/u' = 0.0000$, $v' = 0.0000$;
 Color temperature: CCT=0K (Duv=0.0000);
 Peak wavelength: WP=1053.3nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=70.4nm;
 Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
 Color tolerance: SDCM=0.00;
 Color rendering index: Ra=0.0;
 R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
 R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10 = 0.0
 R11 = 0.0 , R12 = 0.0 , R13 = 0.0 , R14 = 0.0 , R15 = 0.0
 TM30:Rf=0.0, Rg=0.0
 CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi = 0.000$ lm; Light efficiency: 0.0 lm/W;
 Radiation flux $\Phi_e = 90.3$ mW
 Optoelectronic efficiency WPE=15.73%
 UVA=0.000 mW, UVB=0.000 mW, UVC=0.000 mW
 Illuminance Lx=0.0000 LUX

Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
 Photosynthetic quantum flux PPF: 0.0000 $\mu\text{mol/s}$
 Photosynthetically active radiation flux PAR: 0.0000 mW
 Photosynthetic photon flux efficiency EFF: 0.0000 $\mu\text{mol/s/w}$


Electrical parameters:

Forward voltage: VF=1.6420 V; Forward current: IF=349.8000 mA
 Power: P=0.5744 W; Power factor PF=1.00
 Instrument status:
 Integral time T=77.94 ms; Ip=43155 (65.85%)

Product Model: 213
 Tested by: 01
 Temperature: 25
 Manufacturer: kjhglkj; lkj
 Remarks:

Product Number: 250930092459
 Test Date: 2025-09-30 09:25:02
 Humidity: 50%
 Organization: 小号 小号 小号

光谱分析测试



Color parameters:

Color coordinates: $x=0.0000$, $y=0.0000/u' = 0.0000$, $v' = 0.0000$;
Color temperature: CCT=0K (Duv=0.0000);
Peak wavelength: WP=1054.4nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=79.5nm;
Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
Color tolerance: SDCM=0.00;
Color rendering index: Ra=0.0;
R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10 = 0.0
R11 = 0.0 , R12 = 0.0 , R13 = 0.0 , R14 = 0.0 , R15 = 0.0
TM30:Rf=0.0, Rg=0.0
CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi = 0.000$ lm; Light efficiency: 0.0 lm/W;
Radiation flux $\Phi_e = 128.1$ MW
Optoelectronic efficiency WPE=15.24%
UVA=0.000 mw, UVB=0.000 mw, UVC=0.000 mw
Illuminance Lx=0.0000 LUX


Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
Photosynthetic quantum flux PPF: 0.0000 $\mu\text{mol/s}$
Photosynthetically active radiation flux PAR: 0.0000 MW
Photosynthetic photon flux efficiency EFF: 0.0000 $\mu\text{mol/s/w}$

Electrical parameters:

Forward voltage: VF=1.6820 V; Forward current: IF=499.7000 mA
Power: P=0.8405 W; Power factor PF=1.00
Instrument status:
Integral time T=59.45 ms; Ip=42715 (65.18%)

光谱分析测试



Color parameters:

Color coordinates: $x=0.0000$, $y=0.0000/u'=0.0000$, $v'=0.0000$;
Color temperature: CCT=0K (Duv=0.0000);
Peak wavelength: WP=1055.6nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=89.8nm;
Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
Color tolerance: SDCM=0.00;
Color rendering index: Ra=0.0;
R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10= 0.0
R11= 0.0 , R12= 0.0 , R13= 0.0 , R14= 0.0 , R15= 0.0
TM30:Rf=0.0, Rg=0.0
CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi=0.000$ lm; Light efficiency:0.0 lm/W;
Radiation flux $\Phi_e=172.6$ MW
Optoelectronic efficiency WPE=13.78%
UVA=0.000 mw, UVB=0.000 mw, UVC=0.000 mw
Illuminance Lx=0.0000 LUX


Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
Photosynthetic quantum flux PPF:0.0000 $\mu\text{mol/s}$
Photosynthetically active radiation flux PAR:0.0000 MW
Photosynthetic photon flux efficiency EFF:0.0000 $\mu\text{mol/s/w}$

Electrical parameters:

Forward voltage: VF=1.7910 V; Forward current: IF=699.6000 mA
Power: P=1.2530 W; Power factor PF=1.00
Instrument status:
Integral time T=47.48 ms; Ip=42235 (64.44%)

光谱分析测试



Color parameters:

Color coordinates: $x=0.0000$, $y=0.0000/u'=0.0000$, $v'=0.0000$;
 Color temperature: CCT=0K (Duv=0.0000);
 Peak wavelength: WP=1055.6nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=93.9nm;
 Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
 Color tolerance: SDCM=0.00;
 Color rendering index: Ra=0.0;
 R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
 R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10= 0.0
 R11= 0.0 , R12= 0.0 , R13= 0.0 , R14= 0.0 , R15= 0.0
 TM30:Rf=0.0, Rg=0.0
 CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi=0.000$ lm; Light efficiency:0.0 lm/W;
 Radiation flux $\Phi_e=197.8$ MW
 Optoelectronic efficiency WPE=13.60%
 UVA=0.000 mw, UVB=0.000 mw, UVC=0.000 mw
 Illuminance Lx=0.0000 LUX

Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
 Photosynthetic quantum flux PPF:0.0000 $\mu\text{mol/s}$
 Photosynthetically active radiation flux PAR:0.0000 MW
 Photosynthetic photon flux efficiency EFF:0.0000 $\mu\text{mol/s/w}$


Electrical parameters:

Forward voltage: VF=1.8190 V; Forward current: IF=799.6000 mA
 Power: P=1.4545 W; Power factor PF=1.00
 Instrument status:
 Integral time T=47.48 ms; Ip=45580 (69.55%)

Product Model:213
 Tested by:01
 Temperature:25
 Manufacturer:kjhglkj;lkj
 Remarks:

Product Number:250930092535
 Test Date:2025-09-30 09:25:38
 Humidity:50%
 Organization:小号 小号 小号

光谱分析测试



Color parameters:

Color coordinates: $x=0.0000, y=0.0000/u' = 0.0000, v' = 0.0000$;
Color temperature: CCT=0K (Duv=0.0000);
Peak wavelength: WP=1055.1nm; Main wavelength: WD=0.0nm; Half wave width: FWHM=101.6nm;
Color ratio: R=0.0%, G=0.0%, B=0.0%; Color purity: Purity=0.0%;
Color tolerance: SDCM=0.00;
Color rendering index: Ra=0.0;
R1 = 0.0 , R2 = 0.0 , R3 = 0.0 , R4 = 0.0 , R5 = 0.0
R6 = 0.0 , R7 = 0.0 , R8 = 0.0 , R9 = 0.0 , R10= 0.0
R11= 0.0 , R12= 0.0 , R13= 0.0 , R14= 0.0 , R15= 0.0
TM30:Rf=0.0, Rg=0.0
CSS:NTSC, 0.0%

Luminous parameters:

Luminous flux $\Phi = 0.000$ lm; Light efficiency: 0.0 lm/W;
Radiation flux $\Phi_e = 232.4$ mW
Optoelectronic efficiency WPE=12.38%
UVA=0.000 mW, UVB=0.000 mW, UVC=0.000 mW
Illuminance Lx=0.0000 LUX

Plant lamp parameters:

Photosynthetic radiation parameters (400~700nm):
Photosynthetic quantum flux PPF: 0.0000 $\mu\text{mol/s}$
Photosynthetically active radiation flux PAR: 0.0000 mW
Photosynthetic photon flux efficiency EFF: 0.0000 $\mu\text{mol/s/w}$

Electrical parameters:

Forward voltage: VF=1.8790 V; Forward current: IF=999.4000 mA
Power: P=1.8779 W; Power factor PF=1.00
Instrument status:
Integral time T=39.00 ms; Ip=41732 (63.68%)